



FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL MSDS QUESTIONS & REQUESTS, CALL:

USA: 1-703-527-3887)
1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

USA: 1-423-780-2970)

1-800-424-9300 (OUTSIDE

PRODUCT NAME: GLB TLC

1. PRODUCT AND COMPANY IDENTIFICATION

 Supplier
 REVISION DATE:
 12/06/2010

 GLB
 SUPERCEDES:
 07/09/2009

1400 Bluegrass Lakes Parkway,

Alpharetta, GA, 30004

Telephone: +17705215999

Telefax: +17705215959 Web: www.poolspacare.com

USA

Manufacturer
Advantis Technologies
1400 Bluegrass Lakes Parkway
Alpharetta, GA 30004
United States of America

MSDS Number: 000000012565

SYNONYMS: CHEMICAL FAMILY: None

DESCRIPTION / USE None established None established

2. HAZARDS IDENTIFICATION

OSHA Hazard Classification: Corrosive to mucous membranes, Corrosive to skin, Corrosive to eyes

Routes of Entry: Eyes Skin Ingestion Inhalation

Chemical Interactions: None known.

Medical Conditions Aggravated: Pre-existing skin disorders., Pre-existing eye disease

GLB TLC

REVISION DATE: 12/06/2010 Page 1 of 15





Human Threshold Response Data

Odor Threshold Not established for product.

Irritation Threshold Not established for product.

Hazardous Materials Identification System / National Fire Protection Association Classifications

Hazard Ratings:	<u>Health</u>	<u>Flammability</u>	Physical / Instability	PPI / Special hazard.
HMIS	3	0	0	
NFPA	3	0	0	

Immediate (Acute) Health Effects

Inhalation Toxicity: Not expected to be an inhalation hazard at ambient conditions.

Inhalation of mist or vapor may cause moderate to severe irritation to the

mucous membranes of the respiratory tract.

Skin Toxicity: Not expected to be toxic from dermal contact. Dermal exposure can

cause severe irritation characterized by redness and swelling. Prolonged skin exposure may cause scab formation and/or permanent damage.

Eye Toxicity: Severe irritation and/or burns can occur following exposure. Direct

contact may cause impairment of vision and corneal damage. Rinsing of

the eye should take place immediately.

Ingestion Toxicity: Causes digestive tract burns. Slightly toxic if swallowed.

Acute Target Organ Toxicity: This product is corrosive to all tissues contacted and upon inhalation,

may cause irritation to mucous membranes and respiratory tract.

Prolonged (Chronic) Health Effects

Carcinogenicity: This product is not known or reported to be carcinogenic by any

reference source including IARC, OSHA, NTP or EPA. The International Agency for Research on Cancer (IARC) has determined that there is sufficient evidence that occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic (Group I carcinogen). Not known or reported to cause reproductive or developmental toxicity.

Reproductive and

Developmental Toxicity:

Inhalation: Prolonged or repeated exposure may cause more severe irritation.

Prolonged or repeated exposure may cause lung damage. Prolonged or repeated exposure may cause continuous bronchitis. May cause dental

erosion.

Skin Contact: Repeated dermal exposure may cause tissue destruction due to the

corrosive nature of this product.

GLB TLC

REVISION DATE: 12/06/2010 Page 2 of 15



MATERIAL SAFETY DATA SHEET

Ingestion: There are no known or reported effects from chronic ingestion except for

effects similar to those experienced from single exposure. The acute corrosivity of this product, makes chronic ingestion of significant

amounts unlikely.

Eye Contact: Prolonged contact may result in permanent damage. Corneal

involvement or visual impairment is expected.

Sensitization: This material is not known or reported to be a skin or respiratory

sensitizer.

Chronic Target Organ Toxicity: There are no known or reported effects from repeated exposure except

those secondary to burns.

Supplemental Health Hazard

Information:

No additional health information available.

3. COMPOSITION / INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME CAS# % RANGE

SULFURIC ACID 7664-93-9

HYDROCHLORIC ACID 7647-01-0

PHOSPHORIC ACID 7664-38-2

4. FIRST AID MEASURES

Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing

becomes difficult or if respiratory irritation develops. If not breathing, give artificial

respiration. Call for medical assistance.

Skin Contact: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing

comes in contact with the product, the clothing should be removed immediately

and laundered before re-use. Seek medical attention if irritation develops.

Eye Contact: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes.

Seek medical attention immediately.

Ingestion: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless

directed to do so by a physician. Never give anything by mouth to an unconscious

nerson

Notes to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

GLB TLC

REVISION DATE: 12/06/2010 Page 3 of 15





5. FIRE FIGHTING MEASURES

Flammability Summary (OSHA): The product is not flammable., Not combustible., The substance or

mixture is not classified as pyrophoric., Not explosive

Flammable Properties

Fire / Explosion Hazards: Will not burn Reacts with most metals to form flammable hydrogen

gas.

Extinguishing Media: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Fire Fighting Instructions: In case of fire, use normal fire-fighting equipment and the personal

protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus. Use water spray to

cool unopened containers.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by

thermal decomposition or combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency

Situations:

Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to

boots, impervious gloves, hard hat, splash-proof goggles,

impervious clothing, i.e., chemically impermeable suit, self-contained

breathing apparatus.

Spill Mitigation Procedures

Air Release: Keep people away from and upwind of spill/leak.

Water Release: If the product contaminates rivers and lakes or drains inform

respective authorities.soluble

Land Release: Contain spillage, soak up with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Do not contaminate ponds, waterways or ditches with

chemical or used container.

Additional Spill Information: Prevent further leakage or spillage if safe to do so. Use personal

protective equipment as required. Evacuate personnel to safe areas.

Remove all sources of ignition.

GLB TLC

REVISION DATE: 12/06/2010 Page 4 of 15





7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If

in eyes or on skin, rinse well with water. Avoid breathing vapors,

mist or gas.

Storage: Store in a cool, dry and well ventilated place. Isolate from

incompatible materials. Do not freeze.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required

when handling or using this product to keep airborne exposures below the

TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection: Wear a NIOSH approved respirator if levels above the exposure limits are

possible., A NIOSH approved full-face air purifying respirator with acid gas cartridge and N-95 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed

ten (10) times the published limit.

Skin Protection: Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit

is recommended if exposure is possible to a large portion of the body.

Eye Protection: Chemical resistant goggles must be worn. Face-shield

Protective Clothing Type: Neoprene, Butyl rubber, Natural rubber

General Protective Ensure that eyewash stations and safety showers are close to the

Measures: workstation location.

Exposure Limit Data

CHEMICAL NAMECAS #Name of LimitExposureSULFURIC ACID7664-93-9ACGIH0.2 mg/m3TWA Thoracic

fraction

SULFURIC ACID 7664-93-9 OSHA Z1 1 mg/m3 TWA

SULFURIC ACID 7664-93-9 NIOSH-IDLH 15 mg/m3

HYDROCHLORIC ACID 7647-01-0 ACGIH 2 ppm C

GLB TLC

REVISION DATE: 12/06/2010 Page 5 of 15



1,000 mg/m3



PHOSPHORIC ACID

HYDROCHLORIC ACID	7647-01-0	OSHA Z1	5 ppm C 7 mg/m3 C
HYDROCHLORIC ACID	7647-01-0	NIOSH-IDLH	50 ppm
PHOSPHORIC ACID	7664-38-2	ACGIH	1 mg/m3 TWA
PHOSPHORIC ACID	7664-38-2	ACGIH	3 ppm STEL
PHOSPHORIC ACID	7664-38-2	OSHA Z1	1 mg/m3 TWA

NIOSH-IDLH

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid Form liquid Color: amber Odor: mild

Molecular Weight: None established

Specific Gravity: 1.1 - 1.2

20 °C

7664-38-2

pH: 0.0 - 2.0

Boiling Point: 100 °C

212 °F

Freezing Point:

not applicable

Melting Point:

not applicable

Density: No data.

Bulk Density: no data available Vapor Pressure: no data available

Vapor Density:

no data available Viscosity: Solubility in Water: soluble in cold water Partition coefficient n-No data.

octanol/water:

Evaporation Rate: <1

Oxidizing: None established Volatiles, % by vol.: no data available **VOC Content** no data available

HAP Content No data

GLB TLC

REVISION DATE: 12/06/2010 Page 6 of 15





10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions.

Conditions to Avoid: Heat, flames and sparks.

Chemical Incompatibility: Strong oxidizing agents, Bases, Amines, Metals, alkalis

Hazardous Decomposition Products: Hydrogen chloride

Decomposition Temperature: No data

11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

SULFURIC ACID LD50 = 2,140 mg/kg rat HYDROCHLORIC ACID LD50 = 900 mg/kg Rabbit PHOSPHORIC ACID LD50 = 1,530 mg/kg Rat

Component Animal Toxicology

Dermal LD50 value:

SULFURIC ACID LD50 > 2,000 mg/kg Rabbit

HYDROCHLORIC ACID No data

PHOSPHORIC ACID LD50 = 2,740 mg/kg Rabbit

Component Animal Toxicology

Inhalation LC50 value:

SULFURIC ACID LC50 1 h (aerosol) = 1.02 MG/L rat
HYDROCHLORIC ACID Inhalation LC50 1 h 3,124 ppm Rat
PHOSPHORIC ACID Inhalation LC50 1 h > 0.850 MG/L Rat

Product Animal Toxicity

Oral LD50 value: LD50 Believed to be approximately 4,800 mg/kg rat

<u>Dermal LD50 value</u>: LD50 Believed to be > 2,000 mg/kg rabbit

Inhalation LC50 no data available

value:

Skin Irritation: Corrosive to skin Eye Irritation: Corrosive to eyes

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause

irritation to mucous membranes and respiratory tract.

GLB TLC

REVISION DATE: 12/06/2010 Page 7 of 15



MATERIAL SAFETY DATA SHEET

Subchronic / Chronic Toxicity:

There are no known or reported effects from repeated exposure except those

secondary to burns.

Reproductive and

Developmental Toxicity:

Not known or reported to cause reproductive or developmental toxicity.

SULFURIC ACID This product did not cause reproductive or

developmental effects in a study with laboratory

animals.

PHOSPHORIC ACID This material has been tested and was found not to

cause reproductive toxicity in laboratory animals.

Mutagenicity: Not known or reported to be mutagenic.

SULFURIC ACID This product has been tested for mutagenicity. Tests

revealed both positive and negative results. Based on the weight of evidence, we judge this product NOT to be

a mutagenic hazard.

HYDROCHLORIC ACID This chemical has been shown to be non-mutagenic

based on a battery of assays.

PHOSPHORIC ACID This product was determined to be non-mutagenic in

the Ames assay.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA. The International Agency for Research on Cancer (IARC) has determined that there is sufficient evidence that occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic (Group I carcinogen). The following data is available for

sulfuric acid:

SULFURIC ACID This chemical is not known or reported to be

carcinogenic by any reference source including IARC,

OSHA, NTP, or EPA. IARC evaluated several

epidemiology studies where workers from a variety of industries had been exposed to a mixture of strong inorganic acid mists. IARC has concluded that there is sufficient evidence that occupational exposure to a mixture of strong inorganic-acid mists containing sulfuric acid is carcinogenic to humans (Group I carcinogen). Because cancer has not been observed in animals when they are exposed only to sulfuric acid mists, exposure to sulfuric acid by itself was not determined to

be carcinogenic to humans.

HYDROCHLORIC ACID The International Agency for Research on Cancer

(IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as

to Its Carcinogenicity to Humans.

PHOSPHORIC ACID This chemical is not known or reported to be

GLB TLC

REVISION DATE: 12/06/2010 Page 8 of 15





carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.

12. ECOLOGICAL INFORMATION

Overview: Because of the low pH of this product, it would be expected to produce

significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.,

No data for product. Individual constituents are as follows:

Ecological Toxicity Values for: SULFURIC ACID

Mosquito fish - (nominal, static). 96 h LC50 42 mg/l

Bluegill sunfish - 96 h LC50 10.5 mg/l

Common shrimp (Crangon - (nominal, renewal). 48 h LC50 70-80 mg/l

crangon)

Daphnia magna, - 24 h EC50 29 mg/l

Ecological Toxicity Values for: HYDROCHLORIC ACID

Mosquito fish - 96 h LC50 = 282 mg/l

Bluegill - 48 h LC50 = 3.6 mg/lFathead minnow (Pimephales - 96 h LC50 = 21.9 mg/l

promelas),

Common shrimp (Crangon - (nominal, renewal). 48 h LC50= 260 mg/l

crangon)

Daphnia magna, - 48 h EC50= 0.492 mg/l

Ecological Toxicity Values for: PHOSPHORIC ACID

Mosquito fish - 96 h LC50 138 mg/l

GLB TLC

REVISION DATE: 12/06/2010 Page 9 of 15



13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it meets the criteria of a hazardous

waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.As a hazardous liquid waste it must be disposed of in accordance with local, state and federal

regulations.

Potential US EPA Waste Codes : D002

14. TRANSPORT INFORMATION

Land (US DOT): UN1760 CORROSIVE LIQUID, N.O.S. (SULFURIC ACID, HYDROCHLORIC

ACID) 8 II

Water (IMDG): UN1760 CORROSIVE LIQUID, N.O.S., (SULFURIC ACID, HYDROCHLORIC

ACID) 8 II Marine Pollutant: No

Air (IATA): UN1760 CORROSIVE LIQUID, N.O.S., (SULFURIC ACID, HYDROCHLORIC

ACID) 8 II

Emergency Response Guide Number: ERG # 154

Transportation Notes: Hazardous Substance as defined in 49 CFR 172.101,

Appendix A: Yes

EMS: F-A, S-B

15. REGULATORY INFORMATION

UNITED STATES:

Toxic Substances Control Act (TSCA): The components of this product are listed on the TSCA

Inventory of Existing Chemical Substances.

EPA Pesticide Registration Number: None established

FIFRA Listing of Pesticide Chemicals

(40 CFR 180):

Not registered in the US under FIFRA.

GLB TLC

REVISION DATE: 12/06/2010 Page 10 of 15





Superfund Amendments and Reauthorization Act (SARA) Title III:

Hazard Categories Sections 311 / 312 (40 CFR 370.2):

Health Immediate (Acute) Health Hazard

Physical None

Emergency Planning & Community Right to Know (40 CFR 355, App. A):

Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:

ZUS_SAR302 TPQ (threshold planning None established

quantity)

Reportable Quantity (49 CFR 172.101, Appendix):

ZUS_CERCLA Reportable quantity Hydrochloric acid

Hydrogen chloride Value: 5,000lbs Phosphoric acid Value: 5,000lbs SULFURIC ACID Value: 1,000lbs

ZUS_SAR302 Reportable quantity Hydrogen Chloride (gas only) (Gas)

Value: 5,000lbs Sulfuric Acid Value: 1,000lbs

Supplier Notification Requirements (40 CFR 372.45), 313 Reportable Components

ZUS_SAR313 De minimis concentration Hydrochloric acid

Value: 1%

Sulfuric acid (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any

particle size) Value: 0.1%

Clean Air Act Toxic ARP Section 112r:

CAA 112R None established

Clean Air Act Socmi:

HON SOC None established

Clean Air Act VOC Section 111:

CAA 111 None established

GLB TLC

REVISION DATE: 12/06/2010 Page 11 of 15





Clean Air Act Haz. Air Pollutants Section 112:

ZUS_CAAHAP None established

ZUS_CAAHRP None established

CAA AP None established

State Right-to-Know Regulations Status of Ingredients

Pennsylvania:

CAS#	COMPONENT NAME
7647-01-0	HYDROCHLORIC ACID
7664-38-2	PHOSPHORIC ACID
7664-93-9	SULFURIC ACID

ZUSPA_RTK

Pennsylvania: Hazardous substance list

1990-01-01

HYDROCHLORIC ACID

Environmental hazard, hazardous substance

Pennsylvania: Hazardous substance list

1989-08-11

HYDROCHLORIC ACID Environmental hazard

Pennsylvania: Hazardous substance list

1989-08-11

PHOSPHORIC ACID Environmental hazard

Pennsylvania: Hazardous substance list

1990-01-01 SULFURIC ACID

Environmental hazard, hazardous substance

Pennsylvania: Hazardous substance list

1989-08-11 SULFURIC ACID Environmental hazard

New Jersey:

CAS#	COMPONENT NAME
7647-01-0	HYDROCHLORIC ACID
7664-38-2	PHOSPHORIC ACID
7664-93-9	SULFURIC ACID

GLB TLC

REVISION DATE: 12/06/2010 Page 12 of 15





ZUSNJ_RTK

New Jersey Right to Know Hazardous Substance List (RTK-HSL)

2007-03-01

HYDROGEN CHLORIDE MURIATIC ACID HYDROCHLORIC ACID

Special Health Hazard - Corrosive

New Jersey Right to Know Hazardous Substance List (RTK-HSL)

2007-03-01

PHOSPHORIC ACID

Special Health Hazard - Corrosive

New Jersey Right to Know Hazardous Substance List (RTK-HSL)

2007-03-01

SULFURIC ACID OIL of VITRIOL DIHYDROGEN SULFATE

Special Health Hazard - Carcinogen, Special Health Hazard - Corrosive, Special Health

Hazard - Reactive - Second Degree

Massachusetts:

CAS #	COMPONENT NAME
7647-01-0	HYDROCHLORIC ACID
7664-38-2	PHOSPHORIC ACID
7664-93-9	SULFURIC ACID

ZUSMA_RTK

Massachusetts Right to Know List of Chemicals and Hazard Classifications

1993-04-24

HYDROGEN CHLORIDE HYDROCHLORIC ACID

Extraordinarily hazardous

Massachusetts Right to Know List of Chemicals and Hazard Classifications

1993-04-24

PHOSPHORIC ACID

Massachusetts Right to Know List of Chemicals and Hazard Classifications

1993-04-24 SULFURIC ACID Extraordinarily hazardous

California Proposition 65:

CAS#	COMPONENT NAME	
7664-93-9	SULFURIC ACID	

ZUSCA_P65

GLB TLC

REVISION DATE: 12/06/2010 Page 13 of 15





California Proposition 65. Safe drinking water and toxic enforcement act. Strong inorganic acid mists containing sulfuric acid Carcinogen

WHMIS Hazard Classification:

Ingredient Disclosure List (WHMIS) 2007-08-24 Threshold limits: 1 Weight percent 502 Hydrogen chloride

Ingredient Disclosure List (WHMIS) 2007-08-24
Threshold limits: 1 Weight percent

127

Phosphoric acid

Ingredient Disclosure List (WHMIS) 2007-08-24 Threshold limits: 1 Weight percent 138 Sulfuric acid

Ingredient Disclosure List (WHMIS) 2007-08-24

Threshold limits: 1 Weight percent

831

Polyethylene glycol octylphenol ether

16. OTHER INFORMATION

MSDS REVISION STATUS :

SECTIONS REVISED: First formulated version in SAP. Major References: Available upon request.

GLB TLC

REVISION DATE: 12/06/2010 Page 14 of 15



MATERIAL SAFETY DATA SHEET

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

GLB TLC

REVISION DATE: 12/06/2010 Page 15 of 15